


PRICE LIST
Effective from
JUNE 2024



ELETTRO®

Built **F**or
The Challenge





Elettro: Your Reliable Source for Electrical Panel Accessories

Introduction:- Elettro is a reputable brand in the electrical industry, specializing in the production of a diverse range of high-quality electrical panel accessories. With a commitment to innovation, reliability, and customer satisfaction, Elettro has established itself as a leading provider of essential components for electrical panels. The company's website, <https://www.elettro.in> serves as a comprehensive platform where customers can explore their extensive product catalog and access valuable information and resources.

Product Range:- Elettro offers an impressive array of electrical panel accessories that cater to the needs of various industries and applications. Their product range includes air vents, junction boxes, flexible conduit pipes, cable ties and much more. From miniature components for compact panels to heavy-duty accessories for industrial setups, Elettro ensures that their offerings meet the highest standards of quality, performance, and safety.

Quality and Reliability:- Elettro quality and reliability are at the core of their operations. The company employs rigorous quality control measures throughout the manufacturing process to ensure that every product that leaves their facility meets stringent industry standards. By utilizing cutting-edge technology, superior materials, and advanced testing methods, Elettro guarantees the durability and performance of their electrical panel accessories, ensuring they can withstand demanding environments and provide reliable electrical connections.

Innovation and Customization:- Elettro understands the importance of staying ahead in a rapidly evolving industry. With a team of skilled engineers and designers, the company continuously innovates to develop new and improved products that meet the evolving needs of their customers. Furthermore, Elettro offers customization options, allowing clients to tailor their electrical panel accessories to specific requirements. This commitment to innovation and customization sets Elettro apart as a trusted partner for clients seeking specialized solutions.


Conclusion:- Elettro is a leading brand in the electrical industry, renowned for its extensive range of high-quality electrical panel accessories. With a commitment to quality, reliability, and innovation, the company has become a trusted partner for clients across diverse sectors. Whether you need components for residential, commercial, or industrial applications, Elettro's comprehensive product catalog and dedication to customer satisfaction make them the go-to choice for all your electrical panel accessory needs.

OUR
COMMITMENT



SELF LOCKING PA 66 CABLE TIES

CE ROHS HSN CODE: 39235090



Note:

- Price For Black Colour Cable Ties Will be 2.5% Additional
- Price For Coloured Cable Ties Will be 15% Additional
- Price For Weather Proof UV Cable Ties Will be 25% Additional
- Payment Terms 15 Days Credit From the Date of Invoice



Technical Details	
• Material	PA 66 UL Certified 94V-2
• Operating Temp	-10°C to 130°C
• Oxygen Index	25% - 28%
• Smoke Density	Flaming 35 No Flaming 13

Cat. No.	Nominal Overall Length		Strap Width		Max Bundle Cable Dia.		Thick-ness	Min Loop Tensile Strength		M.R.P. Rs.	Std. Pkg.	Std. Pkg.
	d1 mm	inch	d2 mm	inch	mm	inch		kgf	lbs			
ET 100 X 1.8	100	4.0	1.8	0.07	20	0.79	0.7	0.7	16	-----	100	600
ET 100 X 1.8	100	4.0	1.8	0.07	20	0.79	0.7	0.7	16	-----	1000	60
ET 100 X 2.5	100	4.0	2.5	0.10	20	0.79	0.9	0.8	18	28.00	100	600
ET 100 X 2.5	100	4.0	2.5	0.10	20	0.79	0.9	0.8	18	240.00	1000	60
ET 150 X 2.5	150	6.0	2.5	0.10	35	1.38	1.2	8	18	38.00	100	400
ET 150 X 3.6	150	6.0	3.6	0.14	35	1.38	1.2	18	40	62.00	100	300
ET 200 X 3.6	200	8.0	3.6	0.14	45	1.77	1.2	18	40	76.00	100	200
ET 200 X 4.8	200	8.0	4.8	0.19	45	1.77	1.3	23	50	107.00	100	150
ET 200 X 7.6	200	8.0	7.6	0.30	45	1.77	1.4	36	80	-----	100	80
ET 250 X 3.6	250	10.0	3.6	0.14	65	2.56	1.2	18	40	98.00	100	150
ET 250 X 4.8	250	10.0	4.8	0.19	60	2.36	1.3	23	50	129.00	100	150
ET 300 X 3.6	300	12.0	3.6	0.14	75	2.95	1.2	18	40	113.00	100	150
ET 300 X 4.8	300	12.0	4.8	0.19	75	2.95	1.3	23	50	159.00	100	150
ET 300 X 7.6	300	12.0	7.6	0.30	75	2.95	1.4	54.4	120	317.00	100	60
ET 350 X 4.8	350	14.0	4.8	0.19	90	3.60	1.3	23	50	195.00	100	120
ET 400 X 4.8	400	16.0	4.8	0.19	105	4.20	1.3	23	50	225.00	100	90
ET 450 X 4.8	450	18.0	4.8	0.19	115	4.53	1.3	23	50	265.00	100	60
ET 400 X 7.6	400	16.0	7.6	0.30	100	3.93	1.4	54.4	120	-----	100	60
ET 450 X 7.6	450	18.0	7.6	0.30	115	4.60	1.4	54.4	120	-----	100	----
ET 550 X 7.6	550	22.0	7.6	0.30	145	5.80	1.4	54.4	120	-----	100	----
ET 600 X 7.6	600	23.63	7.6	0.30	148	6.00	1.4	54.4	120	-----	100	----
ET 650 X 7.6	650	26.0	7.6	0.30	180	7.20	1.4	54.4	120	-----	100	----
ET 750 X 7.6	750	30.0	7.6	0.30	220	8.80	1.4	54.4	120	-----	100	----
ET 920 X 9.0	920	36.8	9.0	0.35	255	10.20	1.55	80.0	175	-----	100	----

• Prices are on Request.

TAG TYPE SERIES

HSN CODE: 39235090

Cat. No.	d1mm	inch	d2mm	inch	mm	inch	mm	kgf	lbs	M.R.P. Rs. PerPacked	CTN Packed	Pieces Packed
ET-T 100 X 2.5	100	4	2.5	0.10	20	0.79	0.9	8	18	100.00	400	100
										950.00	40	1000



SELF ADHESIVE TIE MOUNT

HSN CODE: 39269099



Cat. No.	Size	M.R.P. Rs. Per Packet	Std. Pkg.
ETHD-19	19mm x 19mm	225.00	100 Nos
ETHD-25	25mm x 25mm	330.00	100 Nos
ETHD-40	40mm x 40mm	510.00	100 Nos

Colour shade : White

3M gumming sticker on request.

SCREW TYPE TIE MOUNT

HSN CODE: 39269099

Cat. No.	Size (mm)	Mounting Method (mm)	For max. Cable Tie Width (mm)	M.R.P. Rs. Per/ Pc.	Std. Pkg.
ET 4 (PA)	22.5 x 16 x 9.8	6mm Screw	8.5	2.70	100 Nos



S.S. 304/316 ROLLER BALL 4.6mm CABLE TIES

CE ROHS⁺ HSN CODE 73269060



Cat. No.	Nominal Overall Length		Strap Width		Max. Diameter Single Loop		Thick-ness	Min Loop Tensile Strength		Std. Pkg. (Pcs/Pac)
	mm	inch	mm	inch	mm	inch	mm	kgf	lbs	PIECES/PAC
ET-ST 100 X 4.6	100	4	4.6	0.18	27	1.1	0.25	68	150	100
ET-ST 150 X 4.6	150	6	4.6	0.18	43	1.7	0.25	68	150	100
ET-ST 200 X 4.6	200	8	4.6	0.18	59	2.3	0.25	68	150	100
ET-ST 260 X 4.6	260	10	4.6	0.18	75	3.0	0.25	68	150	100
ET-ST 300 X 4.6	300	12	4.6	0.18	86	3.4	0.25	68	150	100
ET-ST 360 X 4.6	360	14.40	4.6	0.18	97	3.95	0.25	68	150	100
ET-ST 400 X 4.6	400	16	4.6	0.18	118	4.60	0.25	68	150	100
ET-ST 520 X 4.6	520	20.80	4.6	0.18	140	5.72	0.25	68	150	100
ET-ST 620 X 4.6	620	24.8	4.6	0.18	167	6.82	0.25	68	150	100
ET-ST 680 X 4.6	680	27.20	4.6	0.18	183	7.48	0.25	68	150	100
ET-ST 840 X 4.6	840	33.60	4.6	0.18	227	9.25	0.25	68	150	100
ET-ST 1000 X 4.6	1000	40	4.6	0.18	270	11.0	0.25	68	150	100

● Prices are on Request.

S.S. 304/316 ROLLER BALL 7.9mm CABLE TIES

CE ROHS⁺ HSN CODE 73269060

Cat. No.	Nominal Overall Length		Strap Width		Max. Diameter Single Loop		Thick-ness	Min Loop Tensile Strength		Std. Pkg. (Pcs/Pac)
	mm	inch	mm	inch	mm	inch	mm	kgf	lbs	PIECES/PAC
ET-ST 100 X 7.9	100	4	7.9	0.32	27	1.1	0.25	136	300	100
ET-ST 150 X 7.9	150	6	7.9	0.32	43	1.7	0.25	136	300	100
ET-ST 200 X 7.9	200	8	7.9	0.32	59	2.3	0.25	136	300	100
ET-ST 260 X 7.9	260	10	7.9	0.32	75	3.0	0.25	136	300	100
ET-ST 300 X 7.9	300	12	7.9	0.32	86	3.4	0.25	136	300	100
ET-ST 360 X 7.9	360	14.40	7.9	0.32	97	3.95	0.25	136	300	100
ET-ST 400 X 7.9	400	16	7.9	0.32	118	4.60	0.25	136	300	100
ET-ST 520 X 7.9	520	20.80	7.9	0.32	140	5.72	0.25	136	300	100
ET-ST 620 X 7.9	620	24.8	7.9	0.32	167	6.82	0.25	136	300	100
ET-ST 680 X 7.9	680	27.20	7.9	0.32	183	7.48	0.25	136	300	100
ET-ST 840 X 7.9	840	33.60	7.9	0.32	227	9.25	0.25	136	300	100
ET-ST 1000 X 7.9	1000	40	7.9	0.32	270	11.0	0.25	136	300	100



● Prices are on Request.

AIR- VENT

(VALUE & ECONOMIC SERIES)

CE ROHS HSN CODE: 84213100

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETAV-01	130mmX130mm (SCREW FIT)	54.00	300 Nos
ETAV-01 VP	130mmX130mm(SCREW FIT) (VP-10 Nos.)	480.00	30 Packs
ETAV-02	147mmX147mm (SNAP FIT)	81.00	200 Nos
ETAV-02 VP	147mmX147mm (SNAP FIT) (VP-10 Nos.)	755.00	24 Packs
ETAV-03	184mmX184mm (SCREW FIT)	157.00	150 Nos
ETAV-03 VP	184mmX184mm (SCREW FIT) (VP-10 Nos)	1325.00	16 Packs
ETAV-04	203mmX203mm (SNAP FIT)	190.00	100 Nos
ETAV-04 VP	203mmX203mm (SNAP FIT) (VP-10 Nos.)	1750.00	12 Packs
ETAV-05	238mmX238mm (SCREW FIT)	280.00	60 Nos
ETAV-05 VP	238mmX238mm (SCREW FIT) (VP-5 Nos.)	1300.00	12 Packs
ETAV-06	255mmX255mm (SNAP FIT)	350.00	60 Nos
ETAV-06 VP	255mmX255mm (SNAP FIT) (VP-5 Nos.)	1670.00	12 Packs
ETAV-09	325mmX325mm (SNAP FIT)	615.00	25 Nos
ETAV-10	117mmx117mm (SNAP FIT)	75.00	150 Nos
ETAV-11	90mmX90mm (SCREW FIT)	55.00	200 Nos
ETAV-204/DT	204mmX204mm (DOOM TYPE)	275.00	50 Nos
ETAV-255/DT	255mmX255mm (DOOM TYPE)	435.00	50 Nos
ETAD-285	285mmX285mm (SCREW FIT) (ADAPTOR)	140.00	50 Nos



Colour Shade- RAL7035 /RAL7032
COLOUR ON REQUEST RAL 9005(BLACK)

AIR- VENT (OVAL DESIGN)

(PREMIUM SERIES)

CE ROHS HSN CODE: 84213100



Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETAV-130/4	130mm x 130mm (SCREW FIT)	60.00	300 Nos
ETAV-150/SF-4	150mm x 150mm (SNAP FIT)	95.00	200 Nos
ETAV-184/6	184mm x 184mm (SCREW FIIT)	180.00	150 Nos
ETAV-204/SF-4/6	204mm x 204mm (SNAP FIT)	205.00	100 Nos
ETAV-238/8	238mm x 238mm (SCREW FIT)	300.00	60 Nos
ETAV-255/SF-6/8	255mm x 255mm (SNAP FIT)	375.00	60 Nos

Colour Shade- RAL7035 COLOUR ON REQUEST RAL 9005(BLACK)

AIR- VENT (OVAL DESIGN)

(WITH E.P.D.M GASKETING)

CE ROHS IP54 IP55 HSN CODE: 84213100

Cat. No.	Size	M.R.P.	Std.Pkg.
ETAV-150/SF-4 EG	150mm x 150mm	130.00	150 Nos
ETAV-204/SF-4/6 EG	204mm x 204mm	270.00	100 Nos
ETAV-255/SF-6/8EG	255mm x 255mm	430.00	50 Nos
ETAV-117/SF-3/3.5EG	117mm x 117mm	95.00	150 Nos
ETAV-204/DT-1EG	204mm x 204mm (Doom Type)	320.00	50 Nos
ETAV-255/DT-1EG	255mm x 255mm (Doom Type)	480.00	50 Nos

Colour Shade- RAL7035 COLOUR ON REQUEST RAL 9005(BLACK)



JUNCTION BOX

CE ROHS IP65 HSN CODE: 85359040

JUNCTION BOX W/O Connector IP-65

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ET - 9020	88mm x 88mm x 53mm	150.00	150 Nos
ET - 9040	98mm x 98mm x 61mm	165.00	150 Nos
ET - 9060	139mm x 119mm x 70mm	255.00	50 Nos
ET - 9100	167mm x 125mm x 82mm	375.00	30 Nos
ET - 9250	200mm x 160mm x 98mm	665.00	30 Nos
ET - 9350	260mm x 210mm x 117mm	1340.00	10Nos



JUNCTION BOX With Brass Connector IP-65

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ET - 9020E	88mm x 88mm x 53mm (2.5 Sq.mm)	190.00	150 Nos
ET - 9040E	98mm x 98mm x 61mm (4/6 Sq.mm)	210.00	150 Nos
ET - 9060E	139mm x 119mm x 70mm (10 Sq.mm)	320.00	50 Nos
ET - 9100E	167mm x 125mm x 82mm (16 Sq.mm)	715.00	30 Nos
ET - 9250E	200mm x 160mm x 98mm (16 Sq.mm)	1140.00	30 Nos
ET - 9350E	260mm x 210mm x 117mm (25 Sq.mm)	1700.00	10Nos

Colour Shade - RAL-7035 Material: A.B.S.


CE ROHS IP55 IP65 HSN CODE: 85359040



Colour Shade - RAL-7035 Material: A.B.S.

Cat. No.	Size	Without Groumet M.R.P.Rs.	Transparent M.R.P. Rs.	Std.Pkg.
ET - 10107	100mm x 100mm x 70mm	86.00	132.00	200 Nos
ET - 15117	150mm x 110mm x 70mm	145.00	193.00	75 Nos
ET - 15157	150mm x 150mm x 70mm	170.00	220.00	75Nos
ET - 20107	200mm x 100mm x 70mm	173.00	231.00	50 Nos
ET - 20168	200mm x 155mm x 80mm	225.00	285.00	50 Nos
ET - 26208	255mm x 200mm x 80mm	325.00	440.00	30 Nos
ET - 302512	300mm x 250mm x 120mm	650.00	1000.00	20 Nos
ET - 302515	300mm x 250mm x 150mm	720.00	1100.00	10 Nos
ET - 403512	400mm x 350mm x 120mm	1500.00	1800.00	7 Nos

CE ROHS IP67 HSN CODE: 85359040



Colour Shade - RAL-7035 Material: A.B.S.

Cat No.	Size	With Gourmet M.R.P. Rs.	Transparent M.R.P. Rs.	Std. Pkg.
ET-6001	110mmX110mmX110mm	250.00	300.00	50 Nos
ET-6002	155mmX115mmX110mm	310.00	375.00	50 Nos

DISTRIBUTION BOX

CE ROHS IP65 HSN CODE: 85359040



Colour Shade - RAL-7035 Material: A.B.S.

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETDB -02 (2Way)	120mm x 53mm	175.00	150 Nos
ETDB -05 (5Way)	159mm x 119mm	235.00	150 Nos
ETDB -08 (8Way)	201mm x 153mm	410.00	50 Nos
ETDB -12 (12Way)	167mm x 125mm	760.00	30 Nos
ETDB -18 (18Way)	360mm x 194mm	1650.00	30 Nos
ETDB -24 (24Way)	357mm x 271mm	2000.00	30 Nos

CAMERA BOX

CE ROHS HSN CODE: 85359040

Cat. No.	Size	M.R.P. Rs.	Std. Pack
ETCB-01	100mmx100mmx70mm	57.00	200 NOS
ETCB-02	100mmx100mmx50mm	30.00	360 NOS



Colour Shade - White Material: P.P.

FAN FINGER GUARD

CE ROHS HSN CODE: 84149090



Colour Shade - Black Screw Fit Material: A.B.S.


Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETFG-01	4" Square (120mm x 120mm)	11.00	500 Nos
ETFG-02	6" Oval (172mm x 150mm)	21.00	300 Nos
ETFG-03	6" Square (172mm x 172mm)	21.00	300 Nos
ETFG-04	8" Round (200 Ømm)	35.00	300 Nos
ETFG-05	8" Square (220mm x 220mm)	35.00	300 Nos
ETFG-06	3" Square (80mm x 80mm)	9.50	500 Nos
ETFG-07	3.5" Square (92mm x 92mm)	10.00	500Nos

METAL FAN FINGER GUARD

CE ROHS HSN CODE 84149040

● Prices are on Request.


Cat. No.	Size	Std.Pkg.
ETMG-01	4" Square (1.6 Thk -8 Ring)	1000 Nos
ETMG-02	6" Oval (1.6 Thk -7 Ring)	400 Nos
ETMG-03	6" Square (1.6 Thk -8 Ring)	200 Nos
ETMG-04	8" Oval (1.6 Thk -11 Ring)	200 Nos
ETMG-05	8" Square (1.6 Thk -11 Ring)	200 Nos
ETMG-08	10" Square(1.6 Thk -14 Ring)	100 Nos
ETMG-06	3" Square(1.6 Thk -6 Ring)	1000 Nos
ETMG-07	3.5" Square(1.6 Thk -8 Ring)	1000 Nos



Colour Shade - Crome plated Screw Fit Material: M.S.


POLYAMIDE FLEXIBLE CONDUIT & SLITTED CONDUIT

HSN CODE 39172190



DIMENSION DRAWING & TECHNICAL DETAILS

Technical Details :	
Material	Polyamide 6
Flexural Strength	950 kg / cm ²
Flexural Modulus	26,000 kg / cm ²
Tensile Strength	700 kg / cm ²
Impact Strength	25 kg / cm ²
Temperature Range	-40°C to +105°C Continuous, +150°C Short Term
Resistant	Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.
Protection Class	IP 67
Approvals	CE ROHS



POLYAMIDE FLEXIBLE PIPE

POLYAMIDE FLEXIBLE SLITTED PIPE

Cat. No.	Conduit Gland Size	I.D. d1 (mm)	O.D. d2 (mm)	Bending Radius R (mm) + 10%	M.R.P. Rs.	Std.Pkg. mtr.
ETP-10	ETG-7	6.4	10.0	20	20.00	1000
ETP-13.5	ETG-9	9.6	13.0	30	24.00	1000
ETP-16	ETG-11	11.8	15.8	40	32.00	500
ETP-18.5	ETG-13.5	14.3	18.5	42	37.00	500
ETP-22	ETG-16	15.9	21.2	45	45.00	500
ETP-28	ETG-21	21.7	28.5	55	69.00	300
ETP-34	ETG-29	27.8	34.5	60	90.00	250
ETP-42	ETG-36	36.0	42.5	65	135.00	125
ETP-54	ETG-48	48.3	54.5	80	250.00	100

P.P. FLEXIBLE CONDUIT

HSN CODE 39172190

● Prices are on Request.

Cat. No. Black	Cat. No. White	Size	Maximum O.d.(mm)	Maximum I. D.(mm)	Tolerance On O.d.(mm)	Std.Pkg. mtr.
ET-PP-10	ET-PP-10	PG-10	10.0	7.0	-0.1	1000
ET-PP-16	ET-PP-16	PG-16	16.0	10.7	-0.3	500
ET-PP-20	ET-PP-20	PG-20	20.0	14.1	-0.3	500
ET-PP-25	ET-PP-25	PG-25	25.0	18.3	-0.4	500
ET-PP-32	ET-PP-32	PG-32	32.0	24.3	-0.4	250
ET-PP-40	ET-PP-40	PG-40	40.0	31.2	-0.4	125
ET-PP-50	ET-PP-50	PG-50	50.0	39.6	-0.5	100




POLYAMIDE FLEXIBLE CONDUIT CLAMP

HSN CODE 39172190



Material	Polyamide 6
Temperature Range	-40°C to +105°C Continuous, +150°C Short Term
Resistant	Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.
Approvals	CE ROHS



Cat. No.	Clamp Size	A mm	A 1 mm	B mm	B1 mm	D mm	D 1 mm	H mm CTC	H1 mm CTC	R1 mm	M.R.P. Rs.	Std.Pkg.
ETC-7	ETP-10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ETC-9	ETP-13.5	24.00	18.00	10.00	28.00	23.00	26.00	-----	20.00	10.00	15.00	100
ETC-11	ETP-16	28.00	22.00	14.00	32.00	24.00	28.00	-----	24.00	14.00	17.00	100
ETC-13.5	ETP-18.5	30.00	25.00	14.00	34.00	25.00	30.00	-----	24.00	15.00	18.00	100
ETC-16	ETP-22	34.00	28.00	14.00	34.00	22.00	34.00	-----	26.00	20.00	19.00	100
ETC-21	ETP-28	39.00	39.00	14.00	38.00	40.00	44.00	-----	27.00	25.00	22.00	50
ETC-29	ETP-34	45.00	45.00	14.00	38.00	44.00	50.00	36.00	27.00	33.00	38.00	50
ETC-36	ETP-42	55.00	55.00	14.00	41.00	53.50	59.00	37.00	27.00	40.50	43.00	25
ETC-48	ETP-54	70.00	70.00	14.00	41.00	65.00	73.00	57.00	27.00	48.00	60.00	25


POLYAMIDE CONDUIT GLAND

CE ROHS HSN CODE 39172190

Technical Details :

Material	Polyamide 6	Resistant
Temperature Range	-40°C to +105°C Continuous, +150°C Short Term	Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.

● Prices are on Request.



Cat. No.	Conduit Size	(AG) mm	(AG) mm Thread Length	(GL)mm	(H) mm	Std.Pkg.
ETG-7	ETP-10	12.3	6.5	11.5	18.0	100 Nos
ETG-9	ETP-13.5	15.0	10.0	11.5	19.0	100 Nos
ETG-11	ETP-16	18.4	12.5	12.0	23.0	100 Nos
ETG-13.5	ETP-18.5	20.2	14.3	12.0	12.0	100 Nos
ETG-16	ETP-22	22.3	17.0	13.0	27.0	100 Nos
ETG-21	ETP-28	28.0	23.0	13.0	33.0	50 Nos
ETG-29	ETP-34	36.7	29.0	15.0	35.0	25 Nos
ETG-36	ETP-42	46.7	36.0	15.0	38.5	20 Nos
ETG-48	ETP-54	59.0	53.0	16.0	39.0	10 Nos

POLYAMIDE FLEXIBLE CONDUIT METRIC GLANDS

● Prices are on Request.

CE ROHS HSN CODE 39172190

Technical Details :

Material	Polyamide 6	Resistant
Temperature Range	-40°C to +105°C Continuous, +150°C Short Term	Alcohol, Benzol, Greases, Mineral Oil, Diesel Fuel, Sea Water, Petrol, etc.


Cat. No.	Conduit Gland Size	Inner Diameter D1 (mm)	Outer Diameter D2 (mm)	Std.Pkg.
ETMG-16	ETG-7	6.4	10.0	100 Nos
ETMG-20 M-20 (M-15.8)	ETG-9	9.6	13.0	100 Nos
ETMG-20 M-20 (M-21.2)	ETG-11	11.8	15.8	100 Nos
ETMG-25 M-25 (M-21.2)	ETG-13.5	14.3	18.5	100 Nos
ETMG-32 M-32	ETG-16	15.9	21.2	50 Nos
ETMG-40 M-40	ETG-21	21.7	28.5	50 Nos
ETMG-50 M-50	ETG-29	27.8	34.5	50 Nos
ETMG-63 M-63	ETG-36	36.0	42.5	50 Nos



POLYAMIDE FLEXIBLE CONDUIT 90° ELBOW GLANDS

HSN CODE 39172190

● Prices are on Request.



Cat. No.	Thread (PG)	Conduit Pipe Entry AD (mm)	Threads TL (mm)	Std.Pkg.
ELEG-7	PG 7	10.0	10.0	100 Nos
ELEG-9	PG 9	13.0	10.0	100 Nos
ELEG-11	PG 11	15.8	10.0	100 Nos
ELEG-13.5	PG 13.5	18.5	11.0	100 Nos
ELEG-16	PG 16	21.2	12.0	50 Nos
ELEG-21	PG 21	28.5	12.0	50 Nos
ELEG-29	PG 29	34.5	12.0	50 Nos
ELEG-36	PG 36	42.5	12.0	50 Nos
ELEG-48	PG 48	54.5	14.0	50 Nos

SELECTION CHART FOR CONDUIT GLAND/CLAMP



CONDUIT PIPE CAT. NO.	CONDUIT GLAND CAT. NO.	CONDUIT CLAMP CAT. NO.
ETP-10	ETG-7	ETC-7
ETP-13.5	ETG-9	ETC-9
ETP-16	ETG-11	ETC-11

CONDUIT PIPE CAT. NO.	CONDUIT GLAND CAT. NO.	CONDUIT CLAMP CAT. NO.
ETP-18.5	ETG-13.5	ETC-13.5
ETP-22	ETG-16	ETC-16
ETP-28	ETG-21	ETC-21

CONDUIT PIPE CAT. NO.	CONDUIT GLAND CAT. NO.	CONDUIT CLAMP CAT. NO.
ETP-34	ETG-29	ETG-29
ETP-42	ETG-36	ETG-36
ETP-54	ETG-48	ETG-48


TOGGLE SWITCHES

CE ROHS HSN CODE: 85361010


6A/10A /15A 250AC SINGLE & DOUBLE POLE



SINGLE POLE UNSEALED



DOUBLE POLE UNSEALED



Electrical and Mechanical Specifications

- Housing material : Polybutylene Terephthalate (PBT)
- Rated and uninterrupted current : 6A, 10 A, 15A, & 20A
- Rated operating frequency : 50 Hz/60 Hz
- Rated operating voltage : 250 V. AC
- Ambient temperature : -10°C to 55°C
- Rated impulse voltage : 1.5 Kv for one minute

Cat. No.	Description	Rating	M.R.P Rs.	Std.Pkg
ETS-601	SPST ON- OFF	6A	75.00	30 NOS
ETS-602	SPDT ON ON	6A	82.00	30 NOS
ETS-603	SPDT ON-OFF-ON	6A CENTRE OFF	82.00	30 NOS
ETS-606	DPST ON-OFF	6A	92.00	30 NOS
ETS-607	DPDT ON ON	6A	102.00	30 NOS
ETS-608	DPDT ON-OFF-ON	6A CENTRE OFF	102.00	30 NOS
ETS-1001	SPST ON- OFF	10A	80.00	30 NOS
ETS-1002	SPDT ON ON	10A	86.00	30 NOS
ETS-1003	SPDT ON-OFF-ON	10A CENTRE OFF	86.00	30 NOS
ETS-1006	DPST ON-OFF	10A	95.00	30 NOS
ETS-1007	DPDT ON ON	10A	103.00	30 NOS
ETS-1008	DPDT ON-OFF-ON	10A CENTRE OFF	103.00	30 NOS
ETS-1501	SPST ON- OFF	15A	92.00	30 NOS
ETS-1502	SPDT ON ON	15A	100.00	30 NOS
ETS-1503	SPDT ON-OFF-ON	15A CENTRE OFF	100.00	30 NOS
ETS-1506	DPST ON-OFF	15A	112.00	30 NOS
ETS-1507	DPDT ON ON	15A	125.00	30 NOS
ETS-1508	DPDT ON-OFF-ON	15A CENTRE OFF	125.00	30 NOS

PANEL DOOR SWITCHES

Electrical and Mechanical Specifications

- Operations : Push-to-ON and Push-to-OFF
- Rated operating voltage : 250 V. AC
- Ambient temperature : -10°C to 55°C
- Rated impulse voltage : 1.5 Kv for one minute
- Contact resistance : <20 milli Ω
- Operating force: 0.8 kg (Max)
- Housing Material : (ABS) plastic
- Rated & uninterrupted current : 2A and 5A
- Rated operating frequency : 50 Hz/60 Hz
- Insulation resistance : >20 Mega Ω
- Mounting : M14 Brass and Aluminium Nuts
- Housing Shade : White, Black and Grey.
- Mechanical Life : 50,000 operations



Cat. No.	Colour	M.R.P. Rs.	Std.Pkg.
ETDS-01	White & Black	44.00	1000 Nos

PUSH BUTTON STATION

CE ROHS HSN CODE: 85359090



Colour shade BLACK & Top White

Material: A.B.S.

Cat. No.	Size	Item	M.R.P. Rs.	Std.Pkg.
ETPB-01	73mm x 73mm x 68mm	1Way	53.00	200 Nos
ETPB-02	113mm x 73mm x 68mm	2Way	68.00	150 Nos
ETPB-03	153mm x 73mm x 68mm	3Way	88.00	100 Nos
ETPB-04	192mm x 73mm x 68mm	4Way	106.00	80 Nos
ETPB-06	252mm x 73mm x 68mm	6Way	185.00	50 Nos

DOCUMENT HOLDER

CE ROHS HSN CODE: 39261019

◆ With adhesive Double sided tape

Cat. No.	Size	M.R.P. Rs.	Std.Pkg.
ETDH-01	188mm x 185mm x 20mm Deep	65.00	100 Nos
ETDH-02	258mm x 235mm x 35 Deep (A-4 Size)	125.00	50 Nos
ETDH-03	282mm x 236mm x 17 Deep (A-4 Size)	115.00	100 Nos



ETDH-01 **ETDH-02** **ETDH-03**
Colour Shade - RAL-7035 Screw Fit Material: A.B.S.

OTHER ACCESSORIES

HSN CODE: 39269099



ETPL-06 **ETPL-07** **ETPL-07-1** **ETPL-09**

Sr. No.	Cat. No.	Size	M.R.P. Rs.	Std. Pack
1	ETPL-06	135mm x 25mm x 40mm (115mm CTC)	30.00	500 Nos
2	ETPL-07	94mm x 42mm x 17mm (94mm)	20.00	1000 Nos
3	ETPL-07-1	109mm x 51mm x 25mm (109mm)	33.00	500 Nos
4	ETPL-09	96mm x 9Ømm x 25mm (90mm)	10.00	500 Nos
5	ETSL-01	45mm x 28mm x 15mm	13.00	2000 Nos
6	ETBL-01	Ø22.5mm Thrd. x 18mm H. Blanker	6.00	2000 Nos
7	ETLP-01	(25 X11) Ø 22.2mm Legend Plate	-----	2000 Nos
8	ETLP-02	(25 X18) Ø 22.2mm Legend Plate	-----	2000 Nos
9	ETHL-01	(50mm x 70mm) with ss pin	79.00	500 Nos
10	ETEC-101	END CLAMP / STOPPER	10.00	2500 Nos

◆ Prices are on Request.



ETSL-01 GRAY / BLACK Colour **ETBL-01**



ETLP-01 **ETLP-02**



ETHL-01 GRAY / BLACK Colour **ETEC-101** Suitable for Din Rail 35mm

SELF ADHESIVE GASKET TAPE

CE ROHS HSN CODE: 39199020



INDUSTRIAL FOAM GASKET TAPE

PRODUCT SPECIFICATIONS

- Self Life : 1 Years
- Adhesive Side : Single Side
- Peeling Strength : >550gms / 25mm
- Material : EVA FOAM
- Tape Type : Single Side Gasket Type
- Adhesive Type : Pressure Sensitive
- Colour : Black

◆ Prices are on Request.

PRODUCT SPECIFICATIONS

- Use commonly in sealing Industrial electrical panels, compartments with application even in Bus & Truck body, these Tape most commonly use EVA Foam as the substrate and are coated with an Acrylic Adhesive , Commonly Available in Black Colour .
- **Thickness : 3mm, 5mm & 6mm ,**
- **Widths : 12mm to 100mm.**

STD PACKING	
Thickness	2mm & 3mm
Length	10Mtr Per Roll
Width	Qty. Per Ctn.
12mm	300 Rolls
15mm	240Rolls
20mm	180 Rolls
25mm	144 Rolls
30mm	120 Rolls
40mm	90 Rolls
50mm	72 Rolls

STD PACKING	
Thickness	4,5 & 6mm
Length	10Mtr Per Roll
Width	Qty. Per Ctn.
12mm	180 Rolls
15mm	160 Rolls
20mm	120 Rolls
25mm	96 Rolls
30mm	80 Rolls
40mm	60 Rolls
50mm	48 Rolls

STD PACKING	
Thickness	8mm & 10mm
Length	5Mtr Per Roll
Width	Qty. Per Ctn.
12mm	180 Rolls
15mm	160 Rolls
20mm	120 Rolls
25mm	96 Rolls
30mm	80 Rolls
40mm	60 Rolls
50mm	48 Rolls

White Eva Foam Also Available as per Request Kindly note
Price will be High By 7.5% on the above Prices



ELETTRO®

Built For
The Challenge

Authorised Dealer